



PRODUCT RANGE

☎ +974-4005-3333

📍 P.O. Box 15756, Doha, Qatar

✉ info@castle-mba.com ; sales@castle-mba.com

🌐 www.castle-mba.com

Introduction

CASTLE for Building Materials Co. was established in 2004 by an experienced staff in the field of serving the construction sector. Our approach is to work hand in hand with our clients to ensure supplying right product for the right application.

An ISO 9001:2015 Company

Located at The Commercial Avenue, Sayer Type 5, Building 5,
First Floor, Room 101, PO Box 15756, Doha, Qatar

Product Range

- Precast Concrete
- Formworks Accessories
- Rebar Couplers
- Power Anchors
- Anchor Channels
- Concrete Spacer
- Filler Boards
- Drill Bits
- Miscellaneous



Precast Concrete

Lifting & Fixing Sockets



Lifting Socket



Flat Lifting Socket



Fixing Insert with
Cross Pin



Fixing Socket



Fixing Socket with
Cross Pin



Wavy Tail
(Short Type)



Wavy Tail
(Long Type)



Straight Rebar
Socket Anchor



Rebar Foot
Anchor Socket



Flat Lifting Socket
with Rebar
(Slab Anchor)



Heavy Duty Foot
Anchor Socket



Crown Foot
Anchor



Magnetic Steel
Plate



Precast Concrete

Wire Rope Series



Lifting Loop



Special Lifting Loop



Wire Loop Box (VS Box)



Cast-in Loop



Precast Concrete

Lifting Anchor System



Lifting Stud / Foot Anchor
/ Spherical Head Anchor



Double Head
Lifting Anchor



Eye Anchor



Lifting Clutch



Spherical-Head
Tilt-Up Anchor



Plate Anchor



Easy Lifting
Foot Anchor



Off-set Lifting Anchor



Easy Lifting Utility Anchor



Rubber Recess Former



Precast Concrete

Ring Anchor System



Two Hole Anchor



Erection Anchor



Spread Anchor



Flat Anchor



Ring Clutch



Plastic Rubber Recess



Wire Rope Ring Clutch

Formworks Accessories

Tie Rod and Accessories



Tie Rod



Wing Nut (Casted)



Wing Nut (Forged)
(Heavy Duty)



Plate Washer



GI Water Stopper with
2 PVC Adaptors



Tie Rod Connector



Anchor Nut Round Type



Anchor Nut Flat Type



Anchor Nut Forged
Flat Type



Shuttering Clamp

Formworks Accessories

Scaffolding Fittings



**Fixed Coupler
Heavy Duty**



Swivel Coupler



Putlog Coupler



Fixed Coupler



Swivel Coupler



**Fixed Coupler
Light Duty**



**Swivel Coupler
Light Duty**



**Fixed Combination
Coupler**



**Swivel Combination
Coupler**



Girder Coupler



Toe Board Coupler



Sleeve Coupler

Rebar Couplers



MAGO DTR Coupler



MAGO BSG Coupler



JBCZ Rebar Coupler



TERWA Alligator Coupler



Power Anchors



Through Bolt



Blue Tip Screw Bolt



Drop-in Anchor




GI Threaded Rod




Metal Frame Anchor

Anchor Channels



Jordahl Anchor Channel
JTA K



Jordahl Anchor Channel
JTA W



Jordahl T-Bolts

Concrete Spacers



Spacers with flat support surface

- For horizontal and vertical structural elements
- Available without wire/with black wire/with galvanized wire/with stainless steel wire
- Suitable for high load distribution
- Available covers from 25 mm to 100 mm
- Available in various cut widths

Filler Boards



Jolly Board Expansion Joint Filler is manufactured from water resistant, bitumen impregnated cane fibre. It is available in a wide range of sizes, both as boards & strips in thicknesses of 12MM, 18MM, and 25 MM.

Jolly Expansion Joint Filler displays excellent resistance to compression, with outstanding recovery characteristics. The fillers are environment friendly as opposed to the environment destroying thermocole/plastic expansion joint filler.

Drill Bits




SDS Plus Concrete Drill Bit




SDS Max Concrete Drill Bit




Round Shank Chisel Bullet Teeth




B47K-17 H



B47K19-H




B47K 22-H




BHR38 Holder


Weld-on Bars



BA70-38



BA 50



BA55-22

Miscellaneous



**Black Annealed
Binding Wire 16G**



GI Binding Wire 21G



**Stainless Steel
Dowel Bar**



GI Corrugated Pipe



Steel Chamfer



7-Wire PC Strand



GI Hi Rib Lath



Hessian Cloth




Safety Green Net




Wood Nails

Miscellaneous




Vinyl Corner Bead



Vinyl Casing Bead



PLYGUARD Protection Board



ANCON Shear Load Connector

Introduction

Modern Building Accessories Factory was established in 2005 owned by CASTLE.

An ISO 9001:2015 Company

Located at Small Industrial Zone, Zone: 81 - Street: 22 -
Building: 42, Doha, Qatar

Product Range

- Plastic Spacers & Levelling Shims
- Shuttering Pipes and Cones
- PVC Chamfers
- Backing Rods
- Hollow Core Slab Plastic Plugs
- Bar Protection Caps
- UPVC Pipes
- Pipe Spacers
- Pile Spacers
- Rock Bolt PVC Centralizer
- Other Products

Plastic Spacers & Levelling Shims



Clip Spacer (MC)



Clampfix M/D Chair Spacer
(MCL)



Normfix H/D Chair Spacer
(NF)



Wheel Spacer (MW)



Modern Universal Spacer (MUS)



4 Leg Chair Spacer (4LCS)



Shimpad



U-Shimpad

Shuttering Pipes and Cones



PVC Sleeve for Tie Rod



PVC Cone



PVC Pipe for Dowel Bar



PVC End Cap for Dowel Bar Sleeve

PVC Chamfers



PVC Chamfer



CFN Chamfer


Backing Rods



DESCRIPTIONS:

DIMENSION	STANDARD PACKAGE / ROLL
6MM	1,000 METER/ROLL
8MM	1,000 METER/ROLL
10MM	1,000 METER/ROLL
12MM	1,000 METER/ROLL
15MM	400 METER/ROLL
20MM	200 METER/ROLL
25MM	100 METER/ROLL
30MM	100 METER/ROLL
40MM	50 METER/ROLL
50MM	25 METER/ROLL
60MM	

Hollow Core Slab Plastic Plugs



Bar Protection Caps



Rebar Protection Cap, Mushroom Type





Rebar Protection Cap, EC Type

UPVC Pipes

- UPVC Pipes sizes from 20mm up to 160mm as per Project Requirements
- PVC Conduit Pipes and Fittings
- UPVC Pipes as per Kahramaa Specification
- UPVC Pipes and Fittings as per Ooredoo and QNBN Specification



Pipe Spacers



Pipe Spacers

Multi Tubular Pipe Spacer




Material Properties

- Thickness is 12mm, 15mm & 18mm.
- 100 % Water-resistant.
- High Impact Strength.
- Very Smooth Wall Surface Quality.
- Excellent Corrosion, Acid and Alkali Resistance.
- The dimension of board can be customized, length, width, wall thickness and hole diameter as per your design specifications.
- High Temperature resistant, Impact resistant, Low Temperature resistant, abrasion resistant, alkali-resisting, Corrosion resistant, waterproof and fire resistant.

Pile Spacers



Rock Bolt PVC Centralizer



Materials Used

Material:	UPVC According to DIN 8062
Density:	about 1,42 g/cm ³
Yield Point:	> 52 Mpa
Yield Point Elongation:	> 52 Mpa
Elastic Module:	> 3300 Mpa
Vicat HDT:	> 88 °C
Linear Thermal Expansion:	Circa 0.06 mm/m°C
Color Gray, Orange & Black	

Other Products



Roof Tile Spacer



PVC Ceramic Tile Trim



Crack Inducer



PE Compressible Joint Filler Board



Polyamide Sleeve